



**ORFS buitendraad stop**



Artikelnummer	ORFS	Pijpmaat
A04ORM	9/16" - 18f	6
A06ORM	11/16" - 16f	8-10
A08ORM	13/16" - 16f	12
A10ORM	1" - 14f	14-15-16
A12ORM	1.3/16" - 12f	18-20
A16ORM	1.7/16" - 12f	22-25
A20ORM	1.11/16" - 12f	28-30-32
A24ORM	2" - 12f	35-38


**ORFS buitendraad x ORFS buitendraad**



Artikelnummer	ORFS	Pijpmaat
A04ORM-04ORM	9/16" - 18f	6
A06ORM-06ORM	11/16" - 16f	8-10
A08ORM-08ORM	13/16" - 16f	12
A10ORM-10ORM	1" - 14f	14-15-16
A12ORM-12ORM	1.3/16" - 12f	18-20
A16ORM-16ORM	1.7/16" - 12f	22-25
A20ORM-20ORM	1.11/16" - 12f	28-30-32
A24ORM-24ORM	2" - 12f	35-38


4

**ORFS binnendraad-kap**




Artikelnummer	ORFS	Pijpmaat
A06LORF	11/16" - 16f	8-10
A08LORF	13/16" - 16f	12
A10LORF	1" - 14f	14-15-16
A12LORF	1.3/16" - 12f	18-20
A16LORF	1.7/16" - 12f	22-25
A20LORF	1.11/16" - 12f	28-30-32
A24LORF	2" - 12f	35-38

**ORFS buitendraad x ORFS buitendraad verlopend**




Artikelnummer	ORFS	ORFS	Pijpmaat
A04ORM-06ORM	9/16" - 18f	11/16" - 16f	6
A06ORM-08ORM	11/16" - 16f	13/16" - 16f	8-10
A08ORM-10ORM	1.3/16" - 16f	1" - 14f	12
A10ORM-12ORM	1" - 14f	1 3/16" - 12f	14-15-16
A12ORM-16ORM	1.3/16" - 12f	1 7/16" - 12f	18-20
A16ORM-20ORM	1.7/16" - 12f	1 11/16" - 12f	22-25

**ORFS buitendraad x ORFS buitendraad**  
schotdoorvoer




Artikelnummer	ORFS	Pijpmaat
A04ORM-04ORM-BH	9/16" - 18f	6
A06ORM-06ORM-BH	11/16" - 16f	8-10
A08ORM-08ORM-BH	13/16" - 16f	12
A10ORM-10ORM-BH	1" - 14f	14-15-16
A12ORM-12ORM-BH	1.3/16" - 12f	18-20
A16ORM-16ORM-BH	1.7/16" - 12f	22-25
A20ORM-20ORM-BH	1.11/16" - 12f	28-30-32
A24ORM-24ORM-BH	2" - 12f	35-38

**BSP buitendraad x ORFS buitendraad**




Artikelnummer	BSP	ORFS	Pijpmaat
A02BM-04ORM	1/8"	9/16" - 18f	6
A04BM-04ORM	1/4"	9/16" - 18f	6
A06BM-04ORM	3/8"	9/16" - 18f	6
A04BM-06ORM	1/4"	11/16" - 16f	8-10
A06BM-06ORM	3/8"	11/16" - 16f	8-10
A08BM-06ORM	1/2"	11/16" - 16f	8-10
A04BM-08ORM	1/4"	13/16" - 16f	12
A06BM-08ORM	3/8"	13/16" - 16f	12
A08BM-08ORM	1/2"	13/16" - 16f	12
A12BM-08ORM	3/4"	13/16" - 16f	12
A08BM-12ORM	1/2"	1.3/16" - 12f	18-20
A12BM-12ORM	3/4"	1.3/16" - 12f	18-20
A16BM-12ORM	1"	1.3/16" - 12f	18-20
A12BM-16ORM	3/4"	1.7/16" - 12f	22-25
A16BM-16ORM	1"	1.7/16" - 12f	22-25
A20BM-16ORM	1.1/4"	1.7/16" - 12f	22-25
A20BM-20ORM	1.1/4"	1.11/16" - 12f	28-30-32
A24BM-24ORM	1.1/2"	2" - 12f	35-38

**ORFS buitendraad x BSP buitendraad en**  
**dichtring**




Artikelnummer	ORFS	BSP	Pijpmaat
A04ORM-02BMO	9/16 - 18f	1/8	6
A04ORM-04BMO	9/16 - 18f	1/4	6
A04ORM-06BMO	9/16 - 18f	3/8	6
A04ORM-08BMO	9/16 - 18f	1/2	6
A06ORM-02BMO	11/16 - 16f	1/8	8-10
A06ORM-04BMO	11/16 - 16f	1/4	8-10
A06ORM-06BMO	11/16 - 16f	3/8	8-10
A06ORM-08BMO	11/16 - 16f	1/2	8-10
A06ORM-12BMO	11/16 - 16f	3/4	8-10
A08ORM-04BMO	13/16 - 16f	1/4	12
A08ORM-06BMO	13/16 - 16f	3/8	12
A08ORM-08BMO	13/16 - 16f	1/2	12
A08ORM-12BMO	13/16 - 16f	3/4	12
A10ORM-06BMO	1" - 14f	3/8	14-15-16
A10ORM-08BMO	1" - 14f	1/2	14-15-16
A10ORM-12BMO	1" - 14f	3/4	14-15-16
A12ORM-08BMO	1"3/16 - 12f	1/2	18-20
A12ORM-12BMO	1"3/16 - 12f	3/4	18-20
A12ORM-16BMO	1"3/16 - 12f	1	18-20
A16ORM-12BMO	1"7/16 - 12f	3/4	22-25
A16ORM-16BMO	1"7/16 - 12f	1	22-25
A20ORM-16BMO	1"11/16 - 12f	1	28-30-32
A20ORM-20BMO	1"11/16 - 12f	1.1/4	28-30-32
A24ORM-24BMO	2" - 12f	1.1/2	35-38

**BSP buitendraad x ORFS wartel**




Artikelnummer	BSP	ORFS	Pijpmaat
A04BM-04ORF	1/4"	9/16" - 18f	6
A04BM-06ORF	1/4"	11/16" - 16f	8-10
A06BM-06ORF	3/8"	11/16" - 16f	8-10
A06BM-08ORF	3/8"	13/16" - 16f	12
A08BM-06ORF	1/2"	11/16" - 16f	8-10
A08BM-08ORF	1/2"	13/16" - 16f	12
A12BM-10ORF	3/4"	1" - 14f	14-15-16
A12BM-12ORF	3/4"	1.3/16" - 12f	18-20
A16BM-12ORF	1"	1.3/16" - 12f	18-20
A16BM-16ORF	1"	1.7/16" - 12f	22-25
A20BM-20ORF	1.1/4"	1.11/16" - 12f	28-30-32

**ORFS wartel x BSP buitendraad en dichtring**




Artikelnummer	ORFS	BSP	Pijpmaat
A04ORF-02BMO	9/16 - 18f	1/8	6
A04ORF-04BMO	9/16 - 18f	1/4	6
A06ORF-04BMO	11/16 - 16f	1/4	8-10
A06ORF-06BMO	11/16 - 16f	3/8	8-10
A08ORF-06BMO	13/16 - 16f	3/8	12
A08ORF-08BMO	13/16 - 16f	1/2	12
A10ORF-08BMO	1" - 14f	1/2	14-15-16
A12ORF-12BMO	1"3/16 - 12f	3/4	18-20
A16ORF-16BMO	1"7/16 - 12f	1	22-25
A20ORF-20BMO	1"11/16 - 12f	1.1/4	28-30-32
A24ORF-24BMO	2" - 12f	1.1/2	35-38

**ORFS buitendraad x JIC buitendraad**




Artikelnummer	ORFS	JIC	Pijpmaat
A04ORM-07JM	9/16" - 18f	7/16 - 20	6
A06ORM-09JM	11/16" - 16f	9/16 - 18	8-10
A08ORM-12JM	13/16" - 16f	3/4 - 16	12
A12ORM-17JM	1" - 14f	7/8 - 14	14-15-16

**ORFS wartel x ORFS buitendraad verloopkoppeling**




Artikelnummer	ORFS	ORFS
A04ORM-06ORF	9/16 - 18f	11/16 - 16f
A04ORM-06ORF	9/16 - 18f	11/16 - 16f
A04ORM-10ORF	9/16 - 18f	1" - 14f
A04ORM-12ORF	9/16 - 18f	1"3/16 - 12f
A04ORM-16ORF	9/16 - 18f	1"7/16 - 12f
A06ORM-08ORF	11/16 - 16f	13/16 - 16f
A06ORM-10ORF	11/16 - 16f	1" - 14f
A06ORM-12ORF	11/16 - 16f	1"3/16 - 12f
A06ORM-16ORF	11/16 - 16f	1"7/16 - 12f
A08ORM-10ORF	13/16 - 16f	1" - 14f
A08ORM-12ORF	13/16 - 16f	1"3/16 - 12f
A08ORM-16ORF	13/16 - 16f	1"7/16 - 12f
A10ORM-12ORF	1" - 14f	1"3/16 - 12f
A10ORM-16ORF	1" - 14f	1"7/16 - 12f
A12ORM-16ORF	1"3/16 - 12f	1"7/16 - 12f
A12ORM-20ORF	1"3/16 - 12f	1"11/16 - 12f
A16ORM-20ORF	1"7/16 - 12f	1"11/16 - 12f
A16ORM-24ORF	1"7/16 - 12f	2" - 12f
A20ORM-24ORF	1"11/16 - 12f	2" - 12f

**ORFS buitendraad x UNF buitendraad**




Artikelnummer	ORFS	UNF	Pijpmaat
A04ORM-04SMRH	9/16" - 18f	7/16"	6
A04ORM-06SMRH	9/16" - 18f	9/16"	6
A06ORM-06SMRH	11/16" - 16f	9/16"	8-10
A06ORM-08SMRH	11/16" - 16f	3/4"	8-10
A08ORM-06SMRH	13/16" - 16f	9/16"	12
A08ORM-08SMRH	13/16" - 16f	3/4"	12
A08ORM-10SMRH	13/16" - 16f	7/8"	12
A10ORM-08SMRH	1" - 14f	3/4"	14-15-16
A10ORM-10SMRH	1" - 14f	7/8"	14-15-16
A10ORM-12SMRH	1" - 14f	1.1/16"	14-15-16
A12ORM-10SMRH	1.3/16" - 12f	7/8"	18-20
A12ORM-12SMRH	1.3/16" - 12f	1.1/16"	18-20
A12ORM-16SMRH	1.3/16" - 12f	1.5/16"	18-20
A16ORM-12SMRH	1.7/16" - 12f	1.1/16"	22-25
A20ORM-20SMRH	1.11/16" - 12f	1.5/8"	28-30-32
A24ORM-24SMRH	2" - 12f	1.7/8"	35-38

**ORFS buitendraad x METRISCHE buitendraad**




Artikelnummer	ORFS	Metrisch	Pijpmaat
A04ORM-12MMR	9/16" - 18f	12x1.5	6
A06ORM-16MMR	11/16" - 16f	16x1.5	8-10
A08ORM-18MMR	13/16" - 16f	18x1.5	12
A12ORM-27MMR	1.3/16" - 12f	27x2	18-20

**ORFS wartel x ORFS wartel**




Artikelnummer	ORFS	Pijpmaat
A04ORF-04ORF	9/16" - 18f	6
A06ORF-06ORF	11/16" - 16f	8-10
A08ORF-08ORF	13/16" - 16f	12
A10ORF-10ORF	1" - 14f	14-15-16
A12ORF-12ORF	1.3/16" - 12f	18-20
A16ORF-16ORF	1.7/16" - 12f	22-25

**ORFS buitendraad x ORFS buitendraad**  
90° compact uitvoering




Artikelnummer	ORFS	Pijpmaat
A04ORM90F-04ORM	9/16" - 18f	6
A06ORM90F-06ORM	11/16" - 16f	8-10
A08ORM90F-08ORM	13/16" - 16f	12
A10ORM90F-10ORM	1" - 14f	14-15-16
A12ORM90F-12ORM	1.3/16" - 12f	18-20
A16ORM90F-16ORM	1.7/16" - 12f	22-25
A20ORM90F-20ORM	1.11/16" - 12f	28-30-32
A24ORM90F-24ORM	2" - 12f	35-38

**ORFS wartel x ORFS buitendraad**  
90° compact uitvoering



Artikelnummer	ORFS	Pijpmaat
A04ORF90F-04ORM	9/16" - 18f	6
A06ORF90F-06ORM	11/16" - 16f	8-10
A08ORF90F-08ORM	13/16" - 16f	12
A10ORF90F-10ORM	1" - 14f	14-15-16
A12ORF90F-12ORM	1.3/16" - 12f	18-20
A16ORF90F-16ORM	1.7/16" - 12f	22-25
A20ORF90F-20ORM	1.11/16" - 12f	28-30-32
A24ORF90F-24ORM	2" - 12f	35-38


**ORFS buitendraad x BSP buitendraad**  
B zijde met o ring en borgmoer  
90° compact uitvoering



Artikelnummer	ORFS	Metrisch	Pijpmaat
A04ORM90-02BMO	9/16 - 18f	1/8	6
A04ORM90-04BMO	9/16 - 18	1/4	6
A04ORM90-06BMO	9/16 - 18	3/8	6
A06ORM90-04BMO	11/16 - 16f	1/4	8-10
A06ORM90-06BMO	11/16 - 16f	3/8	8-10
A06ORM90-08BMO	11/16 - 16f	1/2	8-10
A08ORM90-04BMO	13/16 - 16f	1/4	12
A08ORM90-06BMO	13/16 - 16f	3/8	12
A08ORM90-08BMO	13/16 - 16f	1/2	12
A08ORM90-12BMO	13/16 - 16f	3/4	12
A10ORM90-04BMO	1" - 14f	1/4	14-15-16
A10ORM90-06BMO	1" - 14f	3/8	14-15-16
A10ORM90-08BMO	1" - 14f	1/2	14-15-16
A10ORM90-12BMO	1" - 14f	3/4	14-15-16
A10ORM90-16BMO	1" - 14f	1	14-15-16
A12ORM90-04BMO	1"3/16 - 12f	1/4	18-20
A12ORM90-08BMO	1"3/16 - 12f	1/2	18-20
A12ORM90-12BMO	1"3/16 - 12f	3/4	18-20
A12ORM90-16BMO	1"3/16 - 12f	1	18-20
A16ORM90-04BMO	1"7/16 - 12f	1/4	22-25
A16ORM90-12BMO	1"7/16 - 12f	3/4	22-25
A16ORM90-16BMO	1"7/16 - 12f	1	22-25
A16ORM90-20BMO	1"7/16 - 12f	1 1/4	22-25
A20ORM90-16BMO	1"11/16 - 12f	1	28-30-32
A20ORM90-20BMO	1"11/16 - 12f	1 1/4	28-30-32
A20ORM90-24BMO	1"11/16 - 12f	1 1/2	28-30-32
A24ORM90-24BMO	2" - 12f	1 1/2	35-38

**BSP buitendraad x METRISCHE buitendraad**


B zijde met o ring en borgmoer  
90° compact uitvoering



Artikelnummer	ORFS	Metrisch	Pijpmaat
A04ORM90-12MMO	9/16 - 18f	12 x 1,5	6
A06ORM90-14MMO	11/16 - 16f	14 x 1,5	8-10
A06ORM90-16MMO	11/16 - 16f	16 x 1,5	8-10
A08ORM90-16MMO	13/16 - 16f	16 x 1,5	12
A08ORM90-18MMO	13/16 - 16f	18 x 1,5	12
A08ORM90-22MMO	13/16 - 16f	22 x 1,5	12
A10ORM90-18MMO	1" - 14f	18 x 1,5	14-15-16
A10ORM90-22MMO	1" - 14f	22 x 1,5	14-15-16
A10ORM90-27MMO	1" - 14f	27 x 2	14-15-16
A12ORM90-22MMO	1"3/16 - 12f	22 x 1,5	18-20
A12ORM90-27MMO	1"3/16 - 12f	27 x 2	18-20
A12ORM90-33MMO	1"3/16 - 12f	33 x 2	18-20
A16ORM90-27MMO	1"7/16 - 12f	27 x 2	22-25
A16ORM90-33MMO	1"7/16 - 12f	33 x 2	22-25
A16ORM90-42MMO	1"7/16 - 12f	42 x 2	22-25
A20ORM90-42MMO	1"11/16 - 12f	42 x 2	28-30-32
A20ORM90-48MMO	1"11/16 - 12f	48 x 2	28-30-32
A24ORM90-48MMO	2" - 12f	48 x 2	35-38

**ORFS buitendraad x ORFS buitendraad x ORFS buitendraad**


T uitvoering



Artikelnummer	ORFS	Pijpmaat
A04ORM-04ORM-04ORM	9/16" - 18f	6
A06ORM-06ORM-06ORM	11/16" - 16f	8-10
A08ORM-08ORM-08ORM	13/16" - 16f	12
A10ORM-10ORM-10ORM	1" - 14f	14-15-16
A12ORM-12ORM-12ORM	1.3/16" - 12f	18-20
A16ORM-16ORM-16ORM	1.7/16" - 12f	22-25
A20ORM-20ORM-20ORM	1.11/16" - 12f	28-30-32
A24ORM-24ORM-24ORM	2" - 12f	35-38

**ORFS buitendraad x ORFS wartel x ORFS buitendraad**


T uitvoering



Artikelnummer	ORFS	Pijpmaat
A04ORM-04ORF-04ORM	9/16" - 18f	6
A06ORM-06ORF-06ORM	11/16" - 16f	8-10
A08ORM-08ORF-08ORM	13/16" - 16f	12
A10ORM-10ORF-10ORM	1" - 14f	14-15-16
A12ORM-12ORF-12ORM	1.3/16" - 12f	18-20
A16ORM-16ORF-16ORM	1.7/16" - 12f	22-25
A20ORM-20ORF-20ORM	1.11/16" - 12f	28-30-32


**ORFS buitendraad x ORFS buitendraad x ORFS wartel**

T uitvoering




Artikelnummer	ORFS	Pijpmaat
A04ORM-04ORM-04ORF	9/16" - 18f	6
A06ORM-06ORM-06ORF	11/16" - 16f	8-10
A08ORM-08ORM-08ORF	13/16" - 16f	12
A10ORM-10ORM-10ORF	1" - 14f	14-15-16
A12ORM-12ORM-12ORF	1.3/16" - 12f	18-20
A16ORM-16ORM-16ORF	1.7/16" - 12f	22-25
A20ORM-20ORM-20ORF	1.11/16" - 12f	28-30-32
A24ORM-24ORM-24ORF	2" - 12f	35-38

**ORFS wartel x ORFS buitendraad**  
45" compact uitvoering




Artikelnummer	ORFS	Pijpmaat
A04ORF45F-04ORM	9/16" - 18f	6
A06ORF45F-06ORM	11/16" - 16f	8-10
A08ORF45F-08ORM	13/16" - 16f	12
A10ORF45F-08ORM	1" - 14f	14-15-16
A12ORF45F-12ORM	1 3/16" - 12f	18-20
A16ORF45F-16ORM	1 7/16" - 12f	22-25
A20ORF45F-20ORM	1 11/16" - 12f	28-30-32
A24ORF45F-24ORM	2" - 12f	35-38

**ORFS aanlasringen**




Artikelnummer	tbv moer	Pijpmaat
AS04ORFL-06	9.16" - 18f	6
AS06ORFL-08	11/16" - 16f	8
AS06ORFL-10	11/16" - 16f	10
AS08ORFL-12	13/16" - 16f	12
AS10ORFL-14	1" - 14f	14
AS10ORFL-15	1" - 14f	15
AS10ORFL-16	1" - 14f	16
AS12ORFL-18	1.3/16" - 12f	18
AS12ORFL-20	1.3/16" - 12f	20
AS16ORFL-22	1.7/16" - 12f	22
AS16ORFL-25	1.7/16" - 12f	25
AS20ORFL-28	1.11/16" - 12f	28
AS20ORFL-30	1.11/16" - 12f	30
AS20ORFL-32	1.11/16" - 12f	32
AS24ORFL-35	2" - 12f	35
AS24ORFL-38	2" - 12f	38
AS04ORFL-1/4	9/16" - 18f	1/4"
AS06ORFL-3/8	11/16" - 16f	3/8"
AS08ORFL-1/2	13/16" - 16f	1/2"
AS10ORFL-5/8	1" - 14f	5/8"
AS12ORFL-3/4	1.3/16" - 12f	3/4"
AS16ORFL-5/8	1.7/16" - 12f	5/8"
AS16ORFL-3/4	1.7/16" - 12f	3/4"
AS16ORFL-1	1.7/16" - 12f	1"
AS20ORFL-1-1/4	1.11/16" - 12f	1-1/4"
AS24ORFL-1-1/2	2" - 12f	1-1/2"

**ORFS MOER**



Artikelnummer	ORFS	Pijpmaat
RX04ORFS	9/16" - 18f	6
RX06ORFS	11/16" - 16f	8-10
RX08ORFS	13/16" - 16f	12
RX10ORFS	1" - 14f	14-15-16
RX12ORFS	1.3/16" - 12f	18-20
RX16ORFS	1.7/16" - 12f	22-25
RX20ORFS	1.11/16" - 12f	28-30-32
RX24ORFS	2" - 12f	35-38

**ORFS buitendraad aanlasnippel**



Artikelnummer	ORFS	Pijpmaat
RX04ORM-06	9/16" - 12f	6
RX04ORM-08	9/16" - 12f	8
RX04ORM-10	9/16" - 12f	10
RX06ORM-10	11/16" - 12f	10
RX06ORM-12	11/16" - 12f	12
RX08ORM-12	13/16" - 12f	12
RX08ORM-14	13/16" - 12f	14
RX08ORM-16	13/16" - 12f	16
RX10ORM-16	1" - 14f	16
RX10ORM-18	1" - 14f	18
RX12ORM-18	1.3/16" - 12f	18
RX12ORM-20	1.3/16" - 12f	20
RX12ORM-22	1.3/16" - 12f	22
RX12ORM-25	1.3/16" - 12f	25
RX16ORM-25	1.7/16" - 12f	25
RX16ORM-28	1.7/16" - 12f	28
RX16ORM-32	1.7/16" - 12f	32
RX20ORM-32	1.11/16" - 12f	32
RX20ORM-35	1.11/16" - 12f	35
RX20ORM-38	1.11/16" - 12f	38
RX24ORM-38	2" - 12f	38